

STERIMAX INC.

Suite 3, 2740 Matheson Blvd. E., Mississauga, ON, Canada L4W 4X3 • www.sterimaxinc.com
Tel.: 905-890-0661 • 800-881-3550 • Fax: 905-890-0508 • 877-546-7667

New Packaging for Streptomycin for Injection USP 1 g/vial (DIN 02243660)

In our continued efforts to improve our products, we are pleased to announce a new packaging format for **Streptomycin for Injection USP 1 g/vial (DIN 02243660)**. We changed our current 10 pack format into a single vial pack. This will allow for reduced carrying costs for the majority of hospitals who often do not need a 10 pack. The new SteriMax item code for the single vial pack is **ST-01100**. The price remains the same: **\$43.60/vial**.

This exciting new packaging better conforms to the **CSHP** and **CSA** "Guidelines for Drug Packaging and Labeling for Manufacturers".

To help you better understand the changes made, we have outlined the **critical changes** below. A number of other smaller 'cosmetic' changes were made as well, but not detailed below.

Please note that the product remains the same; only the printed packaging has changed.

If you have any questions regarding this update, please feel free to contact SteriMax customer service at 905-890-0661.

Please find below the new wholesaler item numbers for Streptomycin 1 g/vial.

Wholesaler Item Numbers for Streptomycin 1 g/vial (ST-01100)	
Wholesaler	Item Number
AmerisourceBergen Canada	ST00101
McKesson	02243660

STERIMAX INC.

Suite 3, 2740 Matheson Blvd. E., Mississauga, ON, Canada L4W 4X3 • www.sterimaxinc.com
Tel.: 905-890-0661 • 800-881-3550 • Fax: 905-890-0508 • 877-546-7667

Current Carton:

<p>Streptomycin for injection U.S.P. DIN 02243660</p> <p>STERIMAX INC.</p> <p>Equivalent to 1g streptomycin powder per single unit vial</p> <p>For intramuscular use only</p>	<p>Antibiotique aminoglycosidique lyophilisé</p> <p>Chaque fiole contient 1g de streptomycine (comme sulfate de streptomycine).</p> <p>Préparation de la solution : Dissoudre le contenu de la fiole dans de l'eau pour injection stérile U.S.P. en quantité suffisante pour obtenir la concentration souhaitée.</p> <table border="1"><thead><tr><th>Conc. approximative mg/mL</th><th>Volume (mL) du diluant</th></tr></thead><tbody><tr><td>200</td><td>4.2</td></tr><tr><td>250</td><td>3.2</td></tr><tr><td>400</td><td>1.8</td></tr></tbody></table> <p>Gamme posologique (de base) : Voir la notice pour les renseignements concernant la posologie, les mises en garde et les précautions. Jeter tout portion non utilisée.</p> <p>Entreposer à une température ambiante contrôlée (15°C à 30°C).</p> <p>SteriMax Inc., Mississauga, Ontario L4W 4X3 ST00110</p>	Conc. approximative mg/mL	Volume (mL) du diluant	200	4.2	250	3.2	400	1.8
Conc. approximative mg/mL	Volume (mL) du diluant								
200	4.2								
250	3.2								
400	1.8								

Moved DIN to upper right

Changed 10 pack to single pack

Bolded temperature requirement

New Carton:

<p>Lyophilized Amino-glycoside Antibiotic</p> <p>Each vial contains 1g streptomycin (as streptomycin sulphate).</p> <p>Preparation of Solution: Dissolve contents of vial in Sterile Water for Injection U.S.P. in an amount to yield the desired concentration.</p> <table border="1"><thead><tr><th>Approx. Conc. mg/mL</th><th>Volume (mL) of diluent</th></tr></thead><tbody><tr><td>200</td><td>4.2</td></tr><tr><td>250</td><td>3.2</td></tr><tr><td>400</td><td>1.8</td></tr></tbody></table> <p>Dosage Range (base): See package insert for dosage, warnings and precautions. Discard unused portion.</p> <p>Store at controlled room temperature (15°C-30°C).</p> <p>SteriMax Inc., Mississauga, Ontario L4W 4X3 ST-C00100.1</p>	Approx. Conc. mg/mL	Volume (mL) of diluent	200	4.2	250	3.2	400	1.8	<p>DIN 02243660</p> <p>Streptomycin for injection U.S.P.</p> <p>1g streptomycin powder (as streptomycin sulphate)</p> <p>Sterile Powder</p> <p>Lyophilized Aminoglycoside Antibiotic</p> <p>For IM use only</p> <p>Single dose vial</p> <p>STERIMAX INC.</p>
Approx. Conc. mg/mL	Volume (mL) of diluent								
200	4.2								
250	3.2								
400	1.8								

STERIMAX INC.

Suite 3, 2740 Matheson Blvd. E., Mississauga, ON, Canada L4W 4X3 • www.sterimaxinc.com
Tel.: 905-890-0661 • 800-881-3550 • Fax: 905-890-0508 • 877-546-7667

Current Label:

Changed layout to allow the addition of GS1 Databar code

<p>Lyophilized Aminoglycoside Antibiotic Each vial contains 1 g streptomycin (as streptomycin sulphate). Dosage Range (base): See package insert. Store at controlled room temperature (15°C to 30°C). SteriMax Inc., Mississauga, Ontario L4W 4X3</p>	<p>Streptomycin for injection U.S.P. Equivalent to 1g streptomycin powder per single unit vial Streptomycine pour injection U.S.P. Équivalent à 1g de poudre de streptomycine par fiole à dose unique STERIMAX INC. DIN 02243660 For intramuscular use only/ Pour utilisation intramusculaire seulement Sterile / Stérile</p>	<p>Antibiotique aminoglycosidique lyophilisé Chaque fiole contient 1 g de streptomycine (comme sulfate de streptomycine). Gamme posologique (de base): Voir la notice. Entreposer à une température ambiante contrôlée (15 °C à 30 °C). ST00120</p>	<p>LOT: EXP:</p>
--	--	---	----------------------

Bolded temperature requirement

Moved DIN to upper right

Added GS1 Databar code

New Label:

<p>DIN 02243660 Streptomycin for injection U.S.P. 1g streptomycin powder / de poudre de streptomycine (as streptomycin sulphate) (comme sulfate de streptomycine) For IM use only / Pour utilisation IM seulement Single dose vial • Sterile Fiole à dose unique • Stérile</p>	<p>Lyophilized Aminoglycoside Antibiotic Preparation of Solution: Dissolve contents of vial in Sterile Water for Injection U.S.P. in an amount to yield the desired concentration. Add 4.2 mL for a 200 mg/mL solution. Add 3.2 mL for a 250 mg/mL solution. Add 1.8 mL for a 400 mg/mL solution. Dosage Range (base): See package insert for dosage, warnings and precautions. Discard unused portion. Store at controlled room temperature (15°C-30°C).</p>	<p>Antibiotique aminoglycosidique lyophilisé Préparation de la solution: Dissoudre le contenu de la fiole dans de l'eau pour injection stérile U.S.P. en quantité suffisante pour obtenir la concentration souhaitée. Ajouter 4,2 mL pour une solution de 200 mg/mL. Ajouter 3,2 mL pour une solution de 250 mg/mL. Ajouter 1,8 mL pour une solution de 400 mg/mL. Gamme posologique (de base): Voir la notice pour les renseignements concernant la posologie, les mises en garde et les précautions. Jeter tout portion non utilisée. Entreposer à une température ambiante contrôlée (15 °C et 30 °C).</p>	<p>STERIMAX INC. Mississauga, ON, Canada L4W 4X3 ST-L00100.1  (01)00000000000000</p>	<p>LOT: EXP:</p>
--	---	---	--	----------------------